

Passeo™ -18 Lux™

Peripheral Drug-Coated Balloon Catheter

Clinically proven results in
challenging patient groups.



Safe and effective in the treatment
of lower limb arteries^{1,2}

Clinically proven



Excellent results despite a
complex population at baseline²

For challenging patient groups



Reduction of drug loss with
SafeGuard™ Insertion Aid³

Effective drug delivery

Teleflex™
Empowering the future of healthcare

Passeo™ -18 Lux™ DCB


Clinically proven for challenging patient groups with effective drug delivery.¹⁻⁴

For challenging patient groups

Safety and efficacy clinically proven at 24 months across challenging subgroups in BIOLUX P-III all-comers registry.

BIOLUX P-III Subgroup	RC 5+6 Enrollment	Freedom from MAE [§] (%)	Freedom from cd-TLR [°] (%)
FEMPOP ³	28.9%	84.9	88.9
CLI ⁵	68.6%	80.6	87.9
BTK ⁶	63.6%	79.0	90.9
DM ⁷	40.9%	80.0	87.1
ISR ³	21.2%	72.5	78.4

■ 24 months



FEMPOP: Femoropopliteal; CLI: Critical Limb Ischemia; BTK: Below The Knee; DM: Diabetes Mellitus; ISR: In Stent Restenosis; RC: Rutherford Classification; MAE: Major Adverse Events;

cd-TLR: clinically driven Target Lesion Revascularization

[°]Kaplan-Meier estimates; [§]Defined as composite of device – and procedure-related mortality through 30 days, and major target limb amputation and clinically driven target lesion revascularization.

1. Scheinert D. Paclitaxel Releasing Balloon in femoropopliteal lesions using BTHC excipient: 12-month results from the BIOLUX P-I randomized trial. JVT, 2015; 22(1): 14-21; 2. Zeller et al. Paclitaxel-Coated Balloon in Infrapopliteal arteries 12-month results from the BIOLUX P-II randomized trial. J Am Coll Cardiol Interv. 2015; 8: 1614-22; 3. Tepe G. Paclitaxel-Coated Balloon Angioplasty for the Treatment of Infrapopliteal Arteries: 24-Month Outcomes in the Full Cohort of BIOLUX P-III Global Registry. Cardiovasc Interv. 2021;44:207-217; 4. Data on file; 5. Brodmann B et al. Real-World Experience With a Paclitaxel-Coated Balloon in Critical Limb Ischemia 24-Month Subgroup Outcomes of BIOLUX P-III. JACC Cardiovasc Interv. 2020;13:2289-2299; 6. Tepe G et al. BIOLUX P-III Passeo-18 Lux All-Comers Registry: 24-Month Results in Below-the-Knee Arteries. Cardiovasc Interv. 2021;44:10-18; 7. Mwipatayi P, Barry I, Brodmann M, et al. Twenty-Four-Month Outcomes of Drug-Coated Balloon in Diabetic Patients in the BIOLUX P-III Registry: A Subgroup Analysis. Annals of Vascular Surgery (2021); <https://doi.org/10.1016/j.avsg.2021.02.050>.

Teleflex, the Teleflex logo, Passeo, Lux and Safeguard are trademarks or registered trademarks of Teleflex Incorporated or its affiliates, in the U.S. and/or other countries. Information in this material is not a substitute for the product Instructions for Use. Not all products may be available in all countries. Please contact your local representative. Revised 01/2026.

© 2026 Teleflex Incorporated. All rights reserved.

Teleflex™
Empowering the future of healthcare